Schema documentation for erformancePlanOrReportISODRAFTVersion20160211.xs

february 14, 2016

Table of Contents

Namespace: "urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport" 2
Schema(s) 2
Main schema `PerformancePlanOrReportISODRAFTVersion20160211.xsd` 2
Element(s) 2
Element `stratml:PerformancePlanOrReport` 2
Element `stratml:Name` 3
Element `stratml:Description` 3
Element `stratml:OtherInformation` 4
Element `stratml:StrategicPlanCore` 4
Element `stratml:Organization` 5
Element `stratml:Acronym` 6
Element `stratml:Identifier` 6
Element `stratml:Stakeholder` 7
Element `stratml:Role` 8
Element `stratml:RoleType` 9
Element `stratml:Vision` 9
Element `stratml:Mission` 10
Element `stratml:Value` 10
Element `stratml:Goal` 11
Element `stratml:SequenceIndicator` 12
Element `stratml:Objective` 12
Element `stratml:PerformanceIndicator` 13
Element `stratml:MeasurementDimension` 15
Element `stratml:UnitOfMeasurement` 15
Element `stratml:Relationship` 15
Element `stratml:ReferentIdentifier` 16
Element `stratml:MeasurementInstance` 17
Element `stratml:TargetResult` 17
Element `stratml:NumberAndOrDescriptor` 18
Element `stratml:NumberOfUnits` 19
Element `stratml:StartDate` 19
Element `stratml:EndDate` 20
Element `stratml:ActualResult` 20
Element `stratml:AdministrativeInformation` 21
Element `stratml:PublicationDate` 21
Element `stratml:Source` 22
Element `stratml:Submitter` 22
Element `stratml:GivenName` 23
Element `stratml:Surname` 24
Element `stratml:PhoneNumber` 24
Element `stratml:EmailAddress` 24
Complex Type(s) 25
Complex Type `stratml:GoalType` 25
Complex Type `stratml:ObjectiveType` 25
Complex Type `stratml:NumberAndOrDescriptorType` 26
Complex Type `stratml:AdministrativeInformationType` 27
Complex Type `stratml:ContactInformationType` 27
Simple Type(s) 28
Simple Type `stratml:RelationshipTypeType` 28
Simple Type `stratml:NumberOfUnitsType` 28
Simple Type `stratml:NumberOfUnitsTypeType` 29
Simple Type `stratml:DateTypeType` 29
Simple Type `stratml:ValueChainStageType` 29
Simple Type `stratml:PerformanceIndicatorTypeType` 30
Simple Type `stratml:EmptyStringType` 30
Namespace: "" 30
Attribute(s) 30
Attribute `stratml:Stakeholder / @StakeholderTypeType` 30
Attribute `stratml:Relationship / @RelationshipType` 31
Attribute `stratml:PerformanceIndicator / @ValueChainStage` 31

Attribute `stratml:PerformanceIndicator / @PerformanceIndicatorType` 31
Attribute `stratml:PerformancePlanOrReport / @Type` 31

Namespace: "urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"

Schema(s)

Main schema `PerformancePlanOrReportISODRAFTVersion20160211.xsd`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport	
Properties	attribute form default:	`unqualified`
	element form default:	`qualified`
	version:	`2.2.2015-10-09`

Element(s)

Element `stratml:PerformancePlanOrReport`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	`A document identifying inputs and processes required to accomplish objectives and establishing metrics by which progress will be assessed within a single budgetary planning and resource allocation cycle.`
Diagram	
Properties	content: `complex`
Model	stratml:Name , stratml:Description{0,1} , stratml:OtherInformation{0,1} , stratml:StrategicPlanCore , stratml:AdministrativeInformation{0,1} , stratml:Submitter{0,1}
Children	stratml:AdministrativeInformation, stratml:Description, stratml:Name, stratml:OtherInformation, stratml:StrategicPlanCore, stratml:Submitter

Instance	`<stratml:PerformancePlanOrReport Type="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Name>{1,1}</stratml:Name>`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:OtherInformation>{0,1}</stratml:OtherInformation>`
	`  <stratml:StrategicPlanCore>{1,1}</stratml:StrategicPlanCore>`
	`  <stratml:AdministrativeInformation>{0,1}</stratml:AdministrativeInformation>`
	`  <stratml:Submitter>{0,1}</stratml:Submitter>`
	`</stratml:PerformancePlanOrReport>`

Attributes	QName	Type	Use	
	Type	restriction of xsd:string	required	

Source

```
<xsd:element name="PerformancePlanOrReport" id="uuid-91D3FADB-E6CF-45a0-9676-34E1DBCFE10C">
  <xsd:annotation>
    <xsd:documentation>A document identifying inputs and processes required to accomplish objectives
 and establishing metrics by which progress will be assessed within a single budgetary planning and
 resource allocation cycle.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Name" id="uuid-B1A2B247-56EF-4d0a-9A68-4AD35ED5DC1E"/>
      <xsd:element ref="stratml:Description" id="uuid-C1032E04-FA64-4810-9C84-8D49216BDFEE"
 minOccurs="0"/>
      <xsd:element ref="stratml:OtherInformation" id="uuid-C800A4FC-A36D-45d5-B862-70FBF6628156"
 minOccurs="0"/>
      <xsd:element ref="stratml:StrategicPlanCore" id="uuid-41F187FB-AA55-491b-8B0E-65B14A57A4C8"/>
      <xsd:element ref="stratml:AdministrativeInformation" id="uuid-29939A46-15F9-45a1-B865-
D62FEEE9AB8C" minOccurs="0"/>
      <xsd:element ref="stratml:Submitter" id="uuid-4147E26D-BB81-495f-921E-1D63EBE45A62"
 minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute name="Type" use="required" id="uuid-F64605F4-D373-487C-9C5D-D68F1031BA86">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:enumeration value="Strategic_Plan"/>
          <xsd:enumeration value="Performance_Plan"/>
          <xsd:enumeration value="Performance_Report"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:attribute>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Name`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A word or short phrase intended to identify a concept within the context in which is it being applied.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements: stratml:Goal, stratml:Organization, stratml:PerformancePlanOrReport, stratml:Relationship, stratml:Role, stratml:Stakeholder, stratml:Value Complex Types: stratml:GoalType, stratml:NumberAndOrDescriptorType, stratml:ObjectiveType

Source

```
<xsd:element name="Name" type="xsd:string" id="uuid-f6300ca4-40bc-455c-a963-dfef45f558d3">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A word or short phrase intended to
 identify a concept within the context in which is it being applied.</xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Element `stratml:Description`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A sentence or short paragraph defining and explaining a concept.
Diagram	

Type	xsd:string	
Properties	content:	simple
Used by	Elements	stratml:ActualResult, stratml:Goal, stratml:Mission, stratml:Organization, stratml:PerformancePlanOrReport, stratml:Relationship, stratml:Role, stratml:Stakeholder, stratml:TargetResult, stratml:Value, stratml:Vision
	Complex Types	stratml:GoalType, stratml:ObjectiveType
Source	<xsd:element name="Description" type="xsd:string" id="uuid-6289635d-98a7-40bd-978c-37ae6ede5f7e"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A sentence or short paragraph defining and explaining a concept.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element stratml:OtherInformation

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport	
Annotations	documentation Additional explanation or guidance that is not expressly addressed in other elements of the schema.	
Diagram		
Type	xsd:string	
Properties	content:	simple
Used by	Elements	stratml:Goal, stratml:PerformanceIndicator, stratml:PerformancePlanOrReport
	Complex Types	stratml:GoalType, stratml:ObjectiveType
Source	<xsd:element name="OtherInformation" type="xsd:string" id="uuid-2cfca418-05c2-4fa1-b233-d1bd60d0d86a"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">Additional explanation or guidance that is not expressly addressed in other elements of the schema.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element stratml:StrategicPlanCore

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A complex element comprised if Mission, Vision, Values, Goals, Objectives and Stakeholders, together with the children of those core elements.
Diagram	

Properties	content:	complex
Used by	Element	stratml:PerformancePlanOrReport
Model	stratml:Organization* , stratml:Vision{0,1} , stratml:Mission{0,1} , stratml:Value* , stratml:Goal+	
Children	stratml:Goal, stratml:Mission, stratml:Organization, stratml:Value, stratml:Vision	
Instance	<stratml:StrategicPlanCore xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Organization>{0,unbounded}</stratml:Organization> <stratml:Vision>{0,1}</stratml:Vision> <stratml:Mission>{0,1}</stratml:Mission> <stratml:Value>{0,unbounded}</stratml:Value> <stratml:Goal>{1,unbounded}</stratml:Goal> </stratml:StrategicPlanCore>	
Source	<xsd:element name="StrategicPlanCore" id="uuid-ce9c9293-e374-4800-8d62-9ee87d0c9887"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A complex element comprised if Mission, Vision, Values, Goals, Objectives and Stakeholders, together with the children of those core elements.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Organization" id="uuid-f8d6372e-52e8-4a60-ab1c-274aad8bcf33" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Vision" id="uuid-d4dbdad8-0cdd-4294-b091-b8bec961d03b" minOccurs="0"/> <xsd:element ref="stratml:Mission" id="uuid-f66bec3e-2714-49ec-8e15-8820cecba9ae" minOccurs="0"/> <xsd:element ref="stratml:Value" id="uuid-1ab0aa31-a42f-410e-8b2c-29c22eed8a77" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Goal" id="uuid-294b80a3-7288-4477-9458-35292f7a47c3" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>	

Element stratml:Organization

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The legal or logical entity to which the plan or report applies.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Name{0,1} , stratml:Acronym{0,1} , stratml:Identifier{0,1} , stratml:Description{0,1} , stratml:Stakeholder*
Children	stratml:Acronym, stratml:Description, stratml:Identifier, stratml:Name, stratml:Stakeholder

Instance	<stratml:Organization xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{0,1}</stratml:Name> <stratml:Acronym>{0,1}</stratml:Acronym> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:Description>{0,1}</stratml:Description> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> </stratml:Organization>
Source	<xsd:element name="Organization" id="uuid-9d589d53-ec24-4c18-b5db-5be8075c1be5"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The legal or logical entity to which the plan or report applies.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-e871651e-e943-4414-b0b6-eb1f5754f3be" minOccurs="0"/> <xsd:element ref="stratml:Acronym" id="uuid-eb510ea2-9d70-40ec-95f1-abdf6644e002" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-d5b4b082-8326-46a8-a475-533813a4ed29" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-2741f038-8123-4644-a649-dcf19a773673" minOccurs="0"/> <xsd:element ref="stratml:Stakeholder" id="uuid-d9bccbbf-67ae-402c-8914-56d12c1a7190" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element `stratml:Acronym`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An abbreviation of a proper name usually composed of the first letters of each word in the name.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Element stratml:Organization
Source	<xsd:element name="Acronym" type="xsd:string" id="uuid-a21e6dc4-b67c-4120-b881-ce72882fc958"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An abbreviation of a proper name usually composed of the first letters of each word in the name.</xsd:documentation> </xsd:annotation> </xsd:element>

Element `stratml:Identifier`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A string of alphanumeric characters by which the information contained within an element is distinguished from other versions of the same information as well as information contained in other instances of the same element.
Diagram	
Type	xsd:ID
Properties	content: simple

Used by	Elements	stratml:Goal, stratml:Mission, stratml:Organization, stratml:PerformanceIndicator, stratml:Relationship, stratml:Vision
	Complex Types	stratml:AdministrativeInformationType, stratml:ContactInformationType, stratml:GoalType, stratml:ObjectiveType

Source

```
<xsd:element name="Identifier" type="xsd:ID" id="uuid-a9cee972-59f3-42a9-8876-03bd0166689c">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A string of alphanumeric characters
 by which the information contained within an element is distinguished from other versions of
 the same information as well as information contained in other instances of the same element.</
xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Element `stratml:Stakeholder`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport	
Annotations	documentation An individual whose interests may be affected by or whose action may be required to achieve a goal or objective.	
Diagram		
Properties	content:	complex
Used by	Elements	stratml:Goal, stratml:Organization
	Complex Types	stratml:GoalType, stratml:ObjectiveType
Model	stratml:Name , stratml:Description{0,1} , stratml:Role*	
Children	stratml:Description, stratml:Name, stratml:Role	

Instance

```
<stratml:Stakeholder StakeholderTypeType="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">
  <stratml:Name>{1,1}</stratml:Name>
  <stratml:Description>{0,1}</stratml:Description>
  <stratml:Role>{0,unbounded}</stratml:Role>
</stratml:Stakeholder>
```

Attributes

QName	Type	Use	
StakeholderTypeType	restriction of xsd:string	optional	
	documentation An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.		

Source

```
<xsd:element name="Stakeholder" id="uuid-1effcb49-9462-4c9b-bdc2-92971c9fc9cf">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">An individual whose interests may be
 affected by or whose action may be required to achieve a goal or objective.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Name" id="uuid-35cc454d-43d4-46b2-a548-eeb3ff8605dd"/>
```

```
      <xsd:element ref="stratml:Description" id="uuid-7e18eb24-475c-4bcf-a3c4-1c43adaf127c"
 minOccurs="0"/>
      <xsd:element ref="stratml:Role" id="uuid-75B20BA6-6B35-490b-BE78-B98008D49CC2" minOccurs="0"
 maxOccurs="unbounded"/>
    </xsd:sequence>
    <xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-
D68F1031BA86">
      <xsd:annotation>
        <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether
 the stakeholder is an individual person, an organization, or a generic group of people.</
xsd:documentation>
      </xsd:annotation>
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:enumeration value="Person"/>
          <xsd:enumeration value="Organization"/>
          <xsd:enumeration value="Generic_Group"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:attribute>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Role`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A complex element containing other elements enabling the naming, description, and categorization of different kinds of interests individuals and groups may have in the achievement of goals and objectives.
Diagram	
Properties	content: complex
Used by	Element stratml:Stakeholder
Model	stratml:Name , stratml:Description{0,1} , stratml:RoleType*
Children	stratml:Description, stratml:Name, stratml:RoleType

Instance	`<stratml:Role xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Name>{1,1}</stratml:Name>`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:RoleType>{0,unbounded}</stratml:RoleType>`
	`</stratml:Role>`

Source	`<xsd:element name="Role" id="uuid-6BEF4BD5-C9DB-497c-A264-B81B443F36AA">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A complex element containing other elements enabling the naming, description, and categorization of different kinds of interests individuals and groups may have in the achievement of goals and objectives.</xsd:documentation>`
	`  </xsd:annotation>`
	`  <xsd:complexType>`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-8AA40586-F938-44fd-8D84-873E6E172480"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-E7588067-5425-4087-AE9F-191CF2058B09" minOccurs="0"/>`
	`  <xsd:element ref="stratml:RoleType" id="uuid-9F732A4D-0A67-482a-85CC-F2FEBAF4B935" minOccurs="0" maxOccurs="unbounded"/>`
	`  </xsd:sequence>`
	`  </xsd:complexType>`
	`</xsd:element>`

Element `stratml:RoleType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An attribute designating whether a stakeholder is a prospective beneficiary or a performer of actions required to achieve an objective, or both a performer and a beneficiary.
Diagram	
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration: Performer enumeration: Beneficiary
Used by	Element: stratml:Role
Source	<xsd:element name="RoleType" id="uuid-16827A64-1DE2-4cfb-AE53-E8CEE0AA3391"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An attribute designating whether a stakeholder is a prospective beneficiary or a performer of actions required to achieve an objective, or both a performer and a beneficiary.</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Performer"/> <xsd:enumeration value="Beneficiary"/> </xsd:restriction> </xsd:simpleType> </xsd:element>

Element `stratml:Vision`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.
Diagram	
Properties	content: complex
Used by	Element: stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}
Children	stratml:Description, stratml:Identifier
Instance	<stratml:Vision xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> </stratml:Vision>
Source	<xsd:element name="Vision" id="uuid-5e02d6ec-d669-47c4-b443-e7716bd27528"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.</xsd:documentation> </xsd:annotation>

```
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Description" id="uuid-8201c15c-8206-49f3-9bd3-d816209a8b3c"
 minOccurs="0"/>
      <xsd:element ref="stratml:Identifier" id="uuid-333e71c6-6b27-4bd2-bf39-c6e7b69d0404"
 minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Mission`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A brief description of the basic purpose of the organization.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}
Children	stratml:Description, stratml:Identifier

Instance	`<stratml:Mission xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:Identifier>{0,1}</stratml:Identifier>`
	`</stratml:Mission>`

Source	`<xsd:element name="Mission" id="uuid-755706ea-40d6-40f0-a8e5-998b91390620">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A brief description of the basic purpose of the organization.</xsd:documentation>`
	`  </xsd:annotation>`
	`  <xsd:complexType>`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Description" id="uuid-d4000d59-fc40-4f93-bbae-f92de9808818" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-e8484845-ea0e-47f3-8fe2-55b54db21202" minOccurs="0"/>`
	`  </xsd:sequence>`
	`  </xsd:complexType>`
	`</xsd:element>`

Element `stratml:Value`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A principle that is important and helps to define the essential character of the organization.
Diagram	

Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Name{0,1} , stratml:Description{0,1}
Children	stratml:Description, stratml:Name
Instance	<stratml:Value xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> </stratml:Value>
Source	<xsd:element name="Value" id="uuid-50f98ade-573c-4afa-8696-1d0e4a2c7ff3"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A principle that is important and helps to define the essential character of the organization.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-54768289-ad1d-4983-8b30-081f6b1fdeb3" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-f285ccf3-d061-47a5-ac0d-873a8971883b" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element stratml:Goal

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle. documentation Supports Mission
Diagram	
Type	extension of stratml:GoalType

Type hierarchy	• stratml:GoalType
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Name , stratml:Description , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1} , stratml:Objective*
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:Objective, stratml:OtherInformation, stratml:SequenceIndicator, stratml:Stakeholder
Instance	<stratml:Goal xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{1,1}</stratml:Name> <stratml:Description>{1,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> <stratml:OtherInformation>{0,1}</stratml:OtherInformation> <stratml:Objective>{0,unbounded}</stratml:Objective> </stratml:Goal>
Source	<xsd:element name="Goal" id="uuid-1e56b2c9-c6d6-4f79-8ad7-cdb1508a9614"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle.</xsd:documentation> <xsd:documentation source="documentation" xml:lang="EN">Supports Mission</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:complexContent> <xsd:extension base="stratml:GoalType"> <xsd:sequence> <xsd:element ref="stratml:Objective" id="uuid-28866F8C-AE8F-43a1-8E3D-D146280CE3F2" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:extension> </xsd:complexContent> </xsd:complexType> </xsd:element>

Element stratml:SequenceIndicator

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An alphanumeric identifier applied to an element to designate its order in a series.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Types: stratml:GoalType, stratml:ObjectiveType Elements: stratml:Goal, stratml:PerformanceIndicator
Source	<xsd:element name="SequenceIndicator" type="xsd:string" id="uuid-7f10f639-e7cf-4513-804c-5f4f7592c5e5"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An alphanumeric identifier applied to an element to designate its order in a series.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:Objective

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A target level of results against which achievement is to be measured within a single resource allocation and performance execution cycle.

Diagram	
Type	stratml:ObjectiveType
Properties	content: complex
Used by	Element stratml:Goal
Model	stratml:Name{0,1} , stratml:Description{0,1} , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1} , stratml:PerformanceIndicator*
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:PerformanceIndicator, stratml:SequenceIndicator, stratml:Stakeholder
Instance	<stratml:Objective xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> <stratml:OtherInformation>{0,1}</stratml:OtherInformation> <stratml:PerformanceIndicator PerformanceIndicatorType="" ValueChainStage="">{0,unbounded}</stratml:PerformanceIndicator> </stratml:Objective>
Source	<xsd:element name="Objective" type="stratml:ObjectiveType" id="uuid-AA88DC79-BC74-4a7c-97BD-37EDD048D14C"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A target level of results against which achievement is to be measured within a single resource allocation and performance execution cycle.</xsd:documentation> </xsd:annotation> </xsd:element>

Element `stratml:PerformanceIndicator`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A measurement dimension, unit of measurement, and measurement instance specifying target and actual results, e.g., of inputs applied, outputs produced, processes conducted, and outcomes realized.

Diagram



Properties	content: complex
Used by	Complex Type stratml:ObjectiveType
Model	stratml:SequenceIndicator{0,1} , stratml:MeasurementDimension , stratml:UnitOfMeasurement , stratml:Identifier{0,1} , stratml:Relationship* , stratml:MeasurementInstance* , stratml:OtherInformation{0,1}
Children	stratml:Identifier, stratml:MeasurementDimension, stratml:MeasurementInstance, stratml:OtherInformation, stratml:Relationship, stratml:SequenceIndicator, stratml:UnitOfMeasurement

Instance

```
<stratml:PerformanceIndicator PerformanceIndicatorType="" ValueChainStage="" xmlns:stratml="urn:ISO:std:iso:17469:t
  <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator>
  <stratml:MeasurementDimension>{1,1}</stratml:MeasurementDimension>
  <stratml:UnitOfMeasurement>{1,1}</stratml:UnitOfMeasurement>
  <stratml:Identifier>{0,1}</stratml:Identifier>
  <stratml:Relationship RelationshipType="">{0,unbounded}</stratml:Relationship>
  <stratml:MeasurementInstance>{0,unbounded}</stratml:MeasurementInstance>
  <stratml:OtherInformation>{0,1}</stratml:OtherInformation>
</stratml:PerformanceIndicator>
```

Attributes

QName	Type	Use	
PerformanceIndicatorType	stratml:PerformanceIndicatorTypeType	optional	
ValueChainStage	stratml:ValueChainStageType	optional	

Source

```
<xsd:element name="PerformanceIndicator" id="uuid-5E26BC7A-7340-48ce-A11E-D3B566026C49">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A measurement dimension, unit of
 measurement, and measurement instance specifying target and actual results, e.g., of inputs
 applied, outputs produced, processes conducted, and outcomes realized.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:SequenceIndicator" id="uuid-49339C06-33C8-4e80-8FFE-B1BF1668EE5D"
 minOccurs="0"/>
```

```
      <xsd:element ref="stratml:MeasurementDimension" id="uuid-17139C06-33C8-4e80-8FFE-
B1BF1668ED4C"/>
      <xsd:element ref="stratml:UnitOfMeasurement" id="uuid-9E274585-8F26-456A-864A-01E0FB177A3B"/>
      <xsd:element ref="stratml:Identifier" id="uuid-5C262CB2-FB6B-4508-A0FB-2954CFC98841"
 minOccurs="0"/>
      <xsd:element ref="stratml:Relationship" id="uuid-537184F4-BB04-409A-BFD9-40B27AD1B9E3"
 minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="stratml:MeasurementInstance" id="uuid-A9FC8FA2-1102-4994-AD1D-40903738999D"
 minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="stratml:OtherInformation" id="uuid2FC2C862-2FE0-44f2-8F3A-A48A1E07BEBC"
 minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute name="ValueChainStage" type="stratml:ValueChainStageType"
 id="uuid-6203C7DD-4373-47B4-A331-063F14B35668"/>
    <xsd:attribute name="PerformanceIndicatorType" type="stratml:PerformanceIndicatorTypeType"
 id="uuid-5607C853-43F1-43E5-BA82-99E08F59AB31"/>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:MeasurementDimension`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The aspect of reality to be measured.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Element stratml:PerformanceIndicator

Source	`<xsd:element name="MeasurementDimension" type="xsd:string" id="uuid-A81AF0C9-7900-44dd-9E2C-77F601EB13D2">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The aspect of reality to be measured.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:UnitOfMeasurement`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	`The scale by which measurements are divided into increments.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Element stratml:PerformanceIndicator

Source	`<xsd:element name="UnitOfMeasurement" type="xsd:string" id="uuid-BCF7687F-8056-4F02-AC0F-E92B84BEC16E">`
	`  <xsd:annotation>`
	`  <xsd:documentation>The scale by which measurements are divided into increments.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:Relationship`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	`A conceptual association between two elements.`

Diagram	
Properties	content: complex
Used by	Element stratml:PerformanceIndicator
Model	stratml:Identifier{0,1} , stratml:ReferentIdentifier* , stratml:Name{0,1} , stratml:Description{0,1}
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:ReferentIdentifier

Instance	<pre><stratml:Relationship RelationshipType="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">
	  <stratml:Identifier>{0,1}</stratml:Identifier>
	  <stratml:ReferentIdentifier>{0,unbounded}</stratml:ReferentIdentifier>
	  <stratml:Name>{0,1}</stratml:Name>
	  <stratml:Description>{0,1}</stratml:Description>
	</stratml:Relationship></pre>

Attributes	**QName** / **Type** / **Use** **RelationshipType** / stratml:RelationshipTypeType / optional

Source	<pre><xsd:element name="Relationship" id="uuid-13C30F4E-0687-4C56-A052-7ED466D43D68">
	  <xsd:annotation>
	  <xsd:documentation>A conceptual association between two elements.</xsd:documentation>
	  </xsd:annotation>
	  <xsd:complexType>
	  <xsd:sequence>
	  <xsd:element ref="stratml:Identifier" id="uuid-ADB401CE-F9B5-4D46-A8AE-1C5F7A1CA85A" minOccurs="0" maxOccurs="1"/>
	  <xsd:element ref="stratml:ReferentIdentifier" id="uuid-ADB401CE-5B9F-4D46-A8AE-1C5F7A1CA85A" minOccurs="0" maxOccurs="unbounded"/>
	  <xsd:element ref="stratml:Name" id="uuid-C8666759-562B-419C-8DF8-E736A4478EF6" minOccurs="0"/>
	  <xsd:element ref="stratml:Description" id="uuid-46D15F06-AB63-4363-A87A-968EBD11EFF3" minOccurs="0"/>
	  </xsd:sequence>
	  <xsd:attribute name="RelationshipType" type="stratml:RelationshipTypeType" id="uuid-424EE340-4A1E-4791-B964-4CC3072BC69F"/>
	  </xsd:complexType>
	</xsd:element></pre>

Element `stratml:ReferentIdentifier`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	The Identifier of the target (object) of a relationship.
Diagram	
Type	xsd:string

Properties	content:	simple
Used by	Element	stratml:Relationship
Source	<xsd:element name="ReferentIdentifier" type="xsd:string" id="uuid-13C30F4E-7806-4C56-A052-7ED466D43D68"> <xsd:annotation> <xsd:documentation>The Identifier of the target (object) of a relationship.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element stratml:MeasurementInstance

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A measurement at a point in time.
Diagram	
Properties	content: complex
Used by	Element stratml:PerformanceIndicator
Model	stratml:TargetResult* , stratml:ActualResult*
Children	stratml:ActualResult, stratml:TargetResult
Instance	<stratml:MeasurementInstance xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:TargetResult>{0,unbounded}</stratml:TargetResult> <stratml:ActualResult>{0,unbounded}</stratml:ActualResult> </stratml:MeasurementInstance>
Source	<xsd:element name="MeasurementInstance" id="uuid-CA989313-6D91-46AC-926B-0805B331882B"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A measurement at a point in time.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:TargetResult" id="uuid-BDE57259-F01C-4aac-BB59-71A0101324E6" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:ActualResult" id="uuid-B52A1491-AC8D-4548-A1A4-628342FA525A" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element stratml:TargetResult

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A measurable result to be achieved on or before a specified date.

Diagram	
Properties	content: complex
Used by	Element stratml:MeasurementInstance
Model	stratml:Description , stratml:NumberAndOrDescriptor{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1}
Children	stratml:Description, stratml:EndDate, stratml:NumberAndOrDescriptor, stratml:StartDate

Instance	<pre><stratml:TargetResult xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">
	  <stratml:Description>{1,1}</stratml:Description>
	  <stratml:NumberAndOrDescriptor>{0,1}</stratml:NumberAndOrDescriptor>
	  <stratml:StartDate>{0,1}</stratml:StartDate>
	  <stratml:EndDate>{0,1}</stratml:EndDate>
	</stratml:TargetResult></pre>

Source	<pre><xsd:element name="TargetResult" id="uuid-A9278A5B-2E6A-4ad4-BA13-838E0210FD26">
	  <xsd:annotation>
	  <xsd:documentation source="documentation" xml:lang="EN">A measurable result to be achieved on or before a specified date.</xsd:documentation>
	  </xsd:annotation>
	  <xsd:complexType>
	  <xsd:sequence>
	  <xsd:element ref="stratml:Description" id="uuid-F9F237D5-43B4-4C27-84BB-153A0259767A"/>
	  <xsd:element ref="stratml:NumberAndOrDescriptor" id="uuid-0DDC5C0E-2485-4739-98D1-1A132CDFE16E" minOccurs="0"/>
	  <xsd:element ref="stratml:StartDate" id="uuid-2FA5B86C-DA08-46A1-85AB-E37D3291212B" minOccurs="0"/>
	  <xsd:element ref="stratml:EndDate" id="uuid-B9750177-95CB-4007-9B8A-18E6A084A8FE" minOccurs="0"/>
	  </xsd:sequence>
	  </xsd:complexType>
	</xsd:element></pre>

Element `stratml:NumberAndOrDescriptor`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A number and/or a descriptor (e.g., a name, adjective or letter grade) applied to describe desired level of results or an actual result achieved.
Diagram	
Type	stratml:NumberAndOrDescriptorType
Properties	content: complex

Used by	Elements stratml:ActualResult, stratml:TargetResult
Model	stratml:NumberOfUnits{0,1} , stratml:Name{0,1}
Children	stratml:Name, stratml:NumberOfUnits

Instance	`<stratml:NumberAndOrDescriptor xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:NumberOfUnits>{0,1}</stratml:NumberOfUnits>`
	`  <stratml:Name>{0,1}</stratml:Name>`
	`</stratml:NumberAndOrDescriptor>`

Source	`<xsd:element name="NumberAndOrDescriptor" type="stratml:NumberAndOrDescriptorType" id="uuid-f6300ca4-40bc-455c-a963-FEFD45f558d3">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A number and/or a descriptor (e.g., a name, adjective or letter grade) applied to describe desired level of results or an actual result achieved.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:NumberOfUnits`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A numeric value (number) associated with a type of measurement.
Diagram	
Type	stratml:NumberOfUnitsType
Type hierarchy	• stratml:NumberOfUnitsType
Properties	content: simple
Used by	Complex Type stratml:NumberAndOrDescriptorType

Source	`<xsd:element name="NumberOfUnits" type="stratml:NumberOfUnitsType" id="uuid-41DEC7F0-F974-4903-B535-B219F2EB284A">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A numeric value (number) associated with a type of measurement.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:StartDate`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The year, month and day the element with which it is associated is scheduled to begin.
Diagram	
Type	stratml:DateTypeType
Properties	content: simple
Used by	Elements stratml:ActualResult, stratml:TargetResult Complex Type stratml:AdministrativeInformationType

Source	`<xsd:element name="StartDate" type="stratml:DateTypeType" id="uuid-11a1e9c3-959b-4c2e-b3de-5e1296eb6ab3">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The year, month and day the element with which it is associated is scheduled to begin.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:EndDate`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.`
Diagram	
Type	stratml:DateTypeType
Properties	content: `simple`
Used by	Elements: stratml:ActualResult, stratml:TargetResult Complex Type: stratml:AdministrativeInformationType

Source	`<xsd:element name="EndDate" type="stratml:DateTypeType" id="uuid-19977fd4-556d-41bc-be29-477e05e4c971">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:ActualResult`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `A measurable result achieved on or before a specified date.`
Diagram	
Properties	content: `complex`
Used by	Element: stratml:MeasurementInstance
Model	stratml:Description , stratml:NumberAndOrDescriptor{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1}
Children	stratml:Description, stratml:EndDate, stratml:NumberAndOrDescriptor, stratml:StartDate

Instance	`<stratml:ActualResult xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Description>{1,1}</stratml:Description>`
	`  <stratml:NumberAndOrDescriptor>{0,1}</stratml:NumberAndOrDescriptor>`
	`  <stratml:StartDate>{0,1}</stratml:StartDate>`
	`  <stratml:EndDate>{0,1}</stratml:EndDate>`
	`</stratml:ActualResult>`

Source	`<xsd:element name="ActualResult" id="uuid-576F1BF5-C7E4-4ad5-88E9-2781C538F8D4">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A measurable result achieved on or before a specified date.</xsd:documentation>`

```
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Description"/>
      <xsd:element ref="stratml:NumberAndOrDescriptor"
 id="uuid-9595F589-38BF-4bfe-81A6-43D9DAA36700" minOccurs="0"/>
      <xsd:element ref="stratml:StartDate" minOccurs="0"/>
      <xsd:element ref="stratml:EndDate" minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:AdministrativeInformation`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `Useful information that is not essential and thus not part of the core of the plans or reports.`
Diagram	
Type	stratml:AdministrativeInformationType
Properties	content: `complex`
Used by	Element stratml:PerformancePlanOrReport
Model	stratml:Identifier{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1} , stratml:PublicationDate{0,1} , stratml:Source{0,1}
Children	stratml:EndDate, stratml:Identifier, stratml:PublicationDate, stratml:Source, stratml:StartDate

Instance	`<stratml:AdministrativeInformation xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Identifier>{0,1}</stratml:Identifier>`
	`  <stratml:StartDate>{0,1}</stratml:StartDate>`
	`  <stratml:EndDate>{0,1}</stratml:EndDate>`
	`  <stratml:PublicationDate>{0,1}</stratml:PublicationDate>`
	`  <stratml:Source>{0,1}</stratml:Source>`
	`</stratml:AdministrativeInformation>`

Source	`<xsd:element name="AdministrativeInformation" type="stratml:AdministrativeInformationType"`
	` id="uuid-9d240214-9768-4dd9-b98a-c62448b63f26">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">Useful information that is not essential`
	` and thus not part of the core of the plans or reports.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:PublicationDate`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation

	The day, month, and year a plan or report was published in its current form.
Diagram	
Type	stratml:DateTypeType
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<xsd:element name="PublicationDate" type="stratml:DateTypeType" id="uuid-04d8f96c-b5fc-458e-8de4-f5e2746e8b8b"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The day, month, and year a plan or report was published in its current form.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:Source

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The Web address (URL) for the authoritative source of this document.
Diagram	
Type	xsd:anyURI
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType
Source	<xsd:element name="Source" type="xsd:anyURI" id="uuid-03b90177-d13b-4e32-ada9-7c7a1eb1703b"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The Web address (URL) for the authoritative source of this document.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:Submitter

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The person submitting the plan or report in StratML format.

Diagram	
Type	stratml:ContactInformationType
Properties	content: complex
Used by	Element stratml:PerformancePlanOrReport
Model	stratml:Identifier{0,1} , stratml:GivenName{0,1} , stratml:Surname{0,1} , stratml:PhoneNumber{0,1} , stratml:EmailAddress{0,1}
Children	stratml:EmailAddress, stratml:GivenName, stratml:Identifier, stratml:PhoneNumber, stratml:Surname

Instance	`<stratml:Submitter xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Identifier>{0,1}</stratml:Identifier>`
	`  <stratml:GivenName>{0,1}</stratml:GivenName>`
	`  <stratml:Surname>{0,1}</stratml:Surname>`
	`  <stratml:PhoneNumber>{0,1}</stratml:PhoneNumber>`
	`  <stratml:EmailAddress>{0,1}</stratml:EmailAddress>`
	`</stratml:Submitter>`

Source	`<xsd:element name="Submitter" type="stratml:ContactInformationType" id="uuid-1dec258f-1656-4173-acfe-677c1cf24bf3">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The person submitting the plan or report in StratML format.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:GivenName`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The given name of the person submitting the plan or report.`
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType

Source	`<xsd:element name="GivenName" type="xsd:string" id="uuid-a8c3e55c-96f2-404a-97b5-16022d9369ac">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The given name of the person submitting the plan or report.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:Surname`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The family name of the person submitting the plan or report.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Complex Type stratml:ContactInformationType

Source	`<xsd:element name="Surname" type="xsd:string" id="uuid-d48842b4-9324-4f71-9502-1a991b707b38">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The family name of the person submitting the plan or report.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:PhoneNumber`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The telephone number of the person submitting the plan.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Complex Type stratml:ContactInformationType

Source	`<xsd:element name="PhoneNumber" type="xsd:string" id="uuid-9084c2d2-4b7e-4189-a784-a86a4469a01c">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The telephone number of the person submitting the plan.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:EmailAddress`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The Email address of the person submitting the plan or report.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Complex Type stratml:ContactInformationType
Source	`<xsd:element name="EmailAddress" type="xsd:string" id="uuid-412bb450-d116-4dec-9269-a92209232df1">` `  <xsd:annotation>`

```
    <xsd:documentation source="documentation" xml:lang="EN">The Email address of the person
 submitting the plan or report.</xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Complex Type(s)

Complex Type `stratml:GoalType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Used by	Element stratml:Goal
Model	stratml:Name , stratml:Description , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1}
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:SequenceIndicator, stratml:Stakeholder

Source	`<xsd:complexType name="GoalType" id="uuid-3604D5A8-2B17-41b1-88E9-F71866006E23">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-0b19dff1-b98e-470f-ac80-92a755d8aa37"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-b454f40f-721c-42a1-ba43-3a56ef37766e"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-f0543f96-c5be-4d77-a86d-d2f04122a5ea"`
	`minOccurs="0"/>`
	`  <xsd:element ref="stratml:SequenceIndicator" id="uuid-af23adab-d9d6-46b2-a627-8cd2547d8192"`
	`minOccurs="0"/>`
	`  <xsd:element ref="stratml:Stakeholder" id="uuid-93270a8d-75b5-4052-974e-19e5bd9c5931"`
	`minOccurs="0" maxOccurs="unbounded"/>`
	`  <xsd:element ref="stratml:OtherInformation" id="uuid-edd05fe8-91ca-4511-8f5b-c360ac07ebe8"`
	`minOccurs="0"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Complex Type `stratml:ObjectiveType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Used by	Element stratml:Objective
Model	stratml:Name{0,1} , stratml:Description{0,1} , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1} , stratml:PerformanceIndicator*
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:PerformanceIndicator, stratml:SequenceIndicator, stratml:Stakeholder

Source	`<xsd:complexType name="ObjectiveType" id="uuid-A494052D-115D-4452-B49B-DC0FF3089A79">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-36e8852b-2761-460d-b911-0c01c7bdecd3" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-687daacf-3b29-4e91-b1e7-8e9191d17338" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-8e762c3e-85b6-4f5c-93d1-a2513667507f" minOccurs="0"/>`
	`  <xsd:element ref="stratml:SequenceIndicator" id="uuid-abbc7e84-6083-4c89-9c8e-30a9d09616d2" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Stakeholder" id="uuid-3c9c0a38-4d9b-4641-a0f0-f05e722e6f4c" minOccurs="0" maxOccurs="unbounded"/>`
	`  <xsd:element ref="stratml:OtherInformation" id="uuid-75d113e5-ae18-4c6f-87ca-1811557471fb" minOccurs="0"/>`
	`  <xsd:element ref="stratml:PerformanceIndicator" id="uuid-87F2E84B-2216-4D56-9B58-250CD8D52CB8" minOccurs="0" maxOccurs="unbounded"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Complex Type `stratml:NumberAndOrDescriptorType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	

Used by	Element stratml:NumberAndOrDescriptor
Model	stratml:NumberOfUnits{0,1} , stratml:Name{0,1}
Children	stratml:Name, stratml:NumberOfUnits
Source	<xsd:complexType name="NumberAndOrDescriptorType" id="uuid-3604D5A8-71B2-41b1-88E9-F71866006E23"> <xsd:sequence> <xsd:element ref="stratml:NumberOfUnits" id="uuid-b454f40f-721c-42a1-34Ab-3a56ef37766e" minOccurs="0" maxOccurs="1"/> <xsd:element ref="stratml:Name" id="uuid-0b19dff1-b98e-F074-ac80-92a755d8aa37" minOccurs="0" maxOccurs="1"/> </xsd:sequence> </xsd:complexType>

Complex Type `stratml:AdministrativeInformationType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Used by	Element stratml:AdministrativeInformation
Model	stratml:Identifier{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1} , stratml:PublicationDate{0,1} , stratml:Source{0,1}
Children	stratml:EndDate, stratml:Identifier, stratml:PublicationDate, stratml:Source, stratml:StartDate
Source	<xsd:complexType name="AdministrativeInformationType" id="uuid-32864389-230a-4f77-9c09-c083386fcad9"> <xsd:sequence> <xsd:element ref="stratml:Identifier" id="uuid-A36D9558-9F96-4972-91FA-B4F311A7735D" minOccurs="0"/> <xsd:element ref="stratml:StartDate" id="uuid-9bafe734-ca3f-4d53-bbb1-2d904412a09e" minOccurs="0"/> <xsd:element ref="stratml:EndDate" id="uuid-63418B7E-0941-4964-9523-BC6034048730" minOccurs="0"/> <xsd:element ref="stratml:PublicationDate" id="uuid-6ebfbf00-e08c-4118-8980-aba1f91c3936" minOccurs="0"/> <xsd:element ref="stratml:Source" id="uuid-f2e49267-3f70-497a-827e-3b65644badd8" minOccurs="0"/> </xsd:sequence> </xsd:complexType>

Complex Type `stratml:ContactInformationType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Used by	Element stratml:Submitter
Model	stratml:Identifier{0,1} , stratml:GivenName{0,1} , stratml:Surname{0,1} , stratml:PhoneNumber{0,1} , stratml:EmailAddress{0,1}
Children	stratml:EmailAddress, stratml:GivenName, stratml:Identifier, stratml:PhoneNumber, stratml:Surname

Source	`<xsd:complexType name="ContactInformationType" id="uuid-b07e1586-6676-4212-8a6a-4a365a4977ec">`
	`<xsd:sequence>`
	`<xsd:element ref="stratml:Identifier" id="uuid-3AA1341B-C021-43a9-94D3-5AE78BEA9B90" minOccurs="0"/>`
	`<xsd:element ref="stratml:GivenName" id="uuid-be2396f2-cdf9-498c-82ef-1ce1b9209086" minOccurs="0"/>`
	`<xsd:element ref="stratml:Surname" id="uuid-3d5034e0-328a-46a0-b5fb-776e070cca5f" minOccurs="0"/>`
	`<xsd:element ref="stratml:PhoneNumber" id="uuid-160fe527-9d1d-423a-bc95-ad48f3257276" minOccurs="0"/>`
	`<xsd:element ref="stratml:EmailAddress" id="uuid-9e408a3b-034a-486f-b045-7cc74505b44d" minOccurs="0"/>`
	`</xsd:sequence>`
	`</xsd:complexType>`

Simple Type(s)

Simple Type `stratml:RelationshipTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration `Broader_Than` enumeration `Peer_To` enumeration `Narrower_Than`
Used by	Attribute stratml:Relationship/@RelationshipType

Source	`<xsd:simpleType name="RelationshipTypeType">`
	`<xsd:restriction base="xsd:string">`
	`<xsd:enumeration value="Broader_Than"/>`
	`<xsd:enumeration value="Peer_To"/>`
	`<xsd:enumeration value="Narrower_Than"/>`
	`</xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:NumberOfUnitsType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Type	stratml:NumberOfUnitsTypeType
Type hierarchy	• stratml:NumberOfUnitsType
Used by	Element stratml:NumberOfUnits

Source	`<xsd:simpleType name="NumberOfUnitsType">`
	`  <xsd:restriction base="stratml:NumberOfUnitsTypeType">`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:NumberOfUnitsTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	union of(stratml:EmptyStringType)
Used by	Simple Type stratml:NumberOfUnitsType

Source	`<xsd:simpleType name="NumberOfUnitsTypeType">`
	`  <xsd:union memberTypes="stratml:EmptyStringType"/>`
	`</xsd:simpleType>`

Simple Type `stratml:DateTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	union of(xsd:date, stratml:EmptyStringType)
Used by	Elements stratml:EndDate, stratml:PublicationDate, stratml:StartDate

Source	`<xsd:simpleType name="DateTypeType">`
	`  <xsd:union memberTypes="xsd:date stratml:EmptyStringType"/>`
	`</xsd:simpleType>`

Simple Type `stratml:ValueChainStageType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration `Outcome` enumeration `Output_Processing` enumeration `Output` enumeration `Input_Processing` enumeration `Input`
Used by	Attribute stratml:PerformanceIndicator/@ValueChainStage

Source	`<xsd:simpleType name="ValueChainStageType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Outcome"/>`
	`  <xsd:enumeration value="Output_Processing"/>`
	`  <xsd:enumeration value="Output"/>`
	`  <xsd:enumeration value="Input_Processing"/>`
	`  <xsd:enumeration value="Input"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:PerformanceIndicatorTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration `Quantitative` enumeration `Qualitative`
Used by	Attribute stratml:PerformanceIndicator/@PerformanceIndicatorType

Source	`<xsd:simpleType name="PerformanceIndicatorTypeType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Quantitative"/>`
	`  <xsd:enumeration value="Qualitative"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:EmptyStringType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	length `0`

Source	`<xsd:simpleType name="EmptyStringType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:length value="0"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Namespace: ""

Attribute(s)

Attribute `stratml:Stakeholder / @StakeholderTypeType`

Namespace	No namespace
Annotations	documentation `An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.`
Type	restriction of xsd:string
Properties	use: `optional`
Facets	enumeration `Person` enumeration `Organization` enumeration `Generic_Group`
Used by	Element stratml:Stakeholder

Source	`<xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-D68F1031BA86">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.</xsd:documentation>`
	`  </xsd:annotation>`
	`  <xsd:simpleType>`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Person"/>`
	`  <xsd:enumeration value="Organization"/>`
	`  <xsd:enumeration value="Generic_Group"/>`
	`  </xsd:restriction>`

```
  </xsd:simpleType>
</xsd:attribute>
```

Attribute `stratml:Relationship / @RelationshipType`

Namespace	No namespace	
Type	stratml:RelationshipTypeType	
Properties	content:	`simple`
Facets	enumeration	`Broader_Than`
	enumeration	`Peer_To`
	enumeration	`Narrower_Than`
Used by	Element	stratml:Relationship
Source	`<xsd:attribute name="RelationshipType" type="stratml:RelationshipTypeType" id="uuid-424EE340-4A1E-4791-B964-4CC3072BC69F"/>`	

Attribute `stratml:PerformanceIndicator / @ValueChainStage`

Namespace	No namespace	
Type	stratml:ValueChainStageType	
Properties	content:	`simple`
Facets	enumeration	`Outcome`
	enumeration	`Output_Processing`
	enumeration	`Output`
	enumeration	`Input_Processing`
	enumeration	`Input`
Used by	Element	stratml:PerformanceIndicator
Source	`<xsd:attribute name="ValueChainStage" type="stratml:ValueChainStageType" id="uuid-6203C7DD-4373-47B4-A331-063F14B35668"/>`	

Attribute `stratml:PerformanceIndicator / @PerformanceIndicatorType`

Namespace	No namespace	
Type	stratml:PerformanceIndicatorTypeType	
Properties	content:	`simple`
Facets	enumeration	`Quantitative`
	enumeration	`Qualitative`
Used by	Element	stratml:PerformanceIndicator
Source	`<xsd:attribute name="PerformanceIndicatorType" type="stratml:PerformanceIndicatorTypeType" id="uuid-5607C853-43F1-43E5-BA82-99E08F59AB31"/>`	

Attribute `stratml:PerformancePlanOrReport / @Type`

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	use:	`required`
Facets	enumeration	`Strategic_Plan`
	enumeration	`Performance_Plan`
	enumeration	`Performance_Report`
Used by	Element	stratml:PerformancePlanOrReport

Source	`<xsd:attribute name="Type" use="required" id="uuid-F64605F4-D373-487C-9C5D-D68F1031BA86">`
	`  <xsd:simpleType>`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Strategic_Plan"/>`
	`  <xsd:enumeration value="Performance_Plan"/>`	

```
      <xsd:enumeration value="Performance_Report"/>
    </xsd:restriction>
  </xsd:simpleType>
</xsd:attribute>
```