Schema documentation for PerformancePlanOrReportISOVersion20141230.xsd

february 17, 2015

Table of Contents

Namespace: "urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport" 2
Schema(s) 2
Main schema `PerformancePlanOrReportISOVersion20141230.xsd` 2
Element(s) 2
Element `stratml:PerformancePlanOrReport` 2
Element `stratml:Name` 3
Element `stratml:Description` 3
Element `stratml:OtherInformation` 4
Element `stratml:StrategicPlanCore` 4
Element `stratml:Organization` 5
Element `stratml:Acronym` 6
Element `stratml:Identifier` 6
Element `stratml:Stakeholder` 7
Element `stratml:Role` 8
Element `stratml:RoleType` 9
Element `stratml:Vision` 9
Element `stratml:Mission` 10
Element `stratml:Value` 10
Element `stratml:Goal` 11
Element `stratml:Objective` 11
Element `stratml:AdministrativeInformation` 12
Element `stratml:Submitter` 12
Element `stratml:ActualResult` 12
Element `stratml:NumberOfUnits` 13
Element `stratml:StartDate` 14
Element `stratml:EndDate` 14
Element `stratml:EmailAddress` 14
Element `stratml:GivenName` 15
Element `stratml:MeasurementDimension` 15
Element `stratml:MeasurementInstance` 15
Element `stratml:TargetResult` 16
Element `stratml:PerformanceIndicator` 17
Element `stratml:SequenceIndicator` 18
Element `stratml:UnitOfMeasurement` 18
Element `stratml:Relationship` 19
Element `stratml:PhoneNumber` 19
Element `stratml:PublicationDate` 20
Element `stratml:Source` 20
Element `stratml:Surname` 20
Complex Type(s) 21
Complex Type `stratml:AdministrativeInformationType` 21
Complex Type `stratml:ContactInformationType` 21
Complex Type `stratml:GoalType` 22
Complex Type `stratml:ObjectiveType` 23
Simple Type(s) 24
Simple Type `stratml:DateTypeType` 24
Simple Type `stratml:EmptyStringType` 25
Simple Type `stratml:PerformanceIndicatorTypeType` 25
Simple Type `stratml:RelationshipTypeType` 25
Simple Type `stratml:ValueChainStageType` 25
Namespace: "" 26
Attribute(s) 26
Attribute `stratml:Stakeholder / @StakeholderTypeType` 26
Attribute `stratml:PerformancePlanOrReport / @Type` 26
Attribute `stratml:Relationship / @RelationshipType` 27
Attribute `stratml:PerformanceIndicator / @ValueChainStage` 27
Attribute `stratml:PerformanceIndicator / @PerformanceIndicatorType` 27

Namespace: "urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"

Schema(s)

Main schema `PerformancePlanOrReportISOVersion20141230.xsd`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport	
Properties	attribute form default:	`unqualified`
	element form default:	`qualified`
	version:	`2.2.2014-12-30`

Element(s)

Element `stratml:PerformancePlanOrReport`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	`A document identifying inputs and processes required to accomplish objectives and establishing metrics by which progress will be assessed within a single budgetary planning and resource allocation cycle.`
Diagram	
Properties	content: `complex`
Model	stratml:Name , stratml:Description{0,1} , stratml:OtherInformation{0,1} , stratml:StrategicPlanCore , stratml:AdministrativeInformation{0,1} , stratml:Submitter{0,1}
Children	stratml:AdministrativeInformation, stratml:Description, stratml:Name, stratml:OtherInformation, stratml:StrategicPlanCore, stratml:Submitter

Instance	`<stratml:PerformancePlanOrReport Type="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Name>{1,1}</stratml:Name>`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:OtherInformation>{0,1}</stratml:OtherInformation>`
	`  <stratml:StrategicPlanCore>{1,1}</stratml:StrategicPlanCore>`
	`  <stratml:AdministrativeInformation>{0,1}</stratml:AdministrativeInformation>`
	`  <stratml:Submitter>{0,1}</stratml:Submitter>`
	`</stratml:PerformancePlanOrReport>`

Attributes	QName	Type	Use	
	Type	restriction of xsd:string	required	

Source

```
<xsd:element name="PerformancePlanOrReport" id="uuid-91D3FADB-E6CF-45a0-9676-34E1DBCFE10C">
  <xsd:annotation>
    <xsd:documentation>A document identifying inputs and processes required to accomplish objectives
 and establishing metrics by which progress will be assessed within a single budgetary planning and
 resource allocation cycle.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Name" id="uuid-B1A2B247-56EF-4d0a-9A68-4AD35ED5DC1E"/>
      <xsd:element ref="stratml:Description" id="uuid-C1032E04-FA64-4810-9C84-8D49216BDFEE"
 minOccurs="0"/>
      <xsd:element ref="stratml:OtherInformation" id="uuid-C800A4FC-A36D-45d5-B862-70FBF6628156"
 minOccurs="0"/>
      <xsd:element ref="stratml:StrategicPlanCore" id="uuid-41F187FB-AA55-491b-8B0E-65B14A57A4C8"/>
      <xsd:element ref="stratml:AdministrativeInformation" id="uuid-29939A46-15F9-45a1-B865-
D62FEEE9AB8C" minOccurs="0"/>
      <xsd:element ref="stratml:Submitter" id="uuid-4147E26D-BB81-495f-921E-1D63EBE45A62"
 minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute name="Type" use="required" id="uuid-F64605F4-D373-487C-9C5D-D68F1031BA86">
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:enumeration value="Strategic_Plan"/>
          <xsd:enumeration value="Performance_Plan"/>
          <xsd:enumeration value="Performance_Report"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:attribute>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Name`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A word or short phrase intended to identify a concept within the context in which is it being applied.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements: stratml:Organization, stratml:PerformancePlanOrReport, stratml:Relationship, stratml:Role, stratml:Stakeholder, stratml:Value Complex Types: stratml:GoalType, stratml:ObjectiveType

Source

```
<xsd:element name="Name" type="xsd:string" id="uuid-f6300ca4-40bc-455c-a963-dfef45f558d3">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A word or short phrase intended to
 identify a concept within the context in which is it being applied.</xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Element `stratml:Description`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A sentence or short paragraph defining and explaining a concept.
Diagram	

Type	xsd:string	
Properties	content:	simple
Used by	Elements	stratml:ActualResult, stratml:Mission, stratml:Organization, stratml:PerformancePlanOrReport, stratml:Relationship, stratml:Role, stratml:Stakeholder, stratml:TargetResult, stratml:Value, stratml:Vision
	Complex Types	stratml:GoalType, stratml:ObjectiveType
Source	<xsd:element name="Description" type="xsd:string" id="uuid-6289635d-98a7-40bd-978c-37ae6ede5f7e"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A sentence or short paragraph defining and explaining a concept.</xsd:documentation> </xsd:annotation> </xsd:element>	

Element stratml:OtherInformation

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation Additional explanation or guidance that is not expressly addressed in other elements of the schema.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Elements: stratml:PerformanceIndicator, stratml:PerformancePlanOrReport Complex Types: stratml:GoalType, stratml:ObjectiveType
Source	<xsd:element name="OtherInformation" type="xsd:string" id="uuid-2cfca418-05c2-4fa1-b233-d1bd60d0d86a"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">Additional explanation or guidance that is not expressly addressed in other elements of the schema.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:StrategicPlanCore

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A complex element comprised if Mission, Vision, Values, Goals, Objectives and Stakeholders, together with the children of those core elements.
Diagram	

Properties	content:	complex
Used by	Element	stratml:PerformancePlanOrReport
Model	stratml:Organization* , stratml:Vision{0,1} , stratml:Mission{0,1} , stratml:Value* , stratml:Goal+	
Children	stratml:Goal, stratml:Mission, stratml:Organization, stratml:Value, stratml:Vision	
Instance	<stratml:StrategicPlanCore xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Organization>{0,unbounded}</stratml:Organization> <stratml:Vision>{0,1}</stratml:Vision> <stratml:Mission>{0,1}</stratml:Mission> <stratml:Value>{0,unbounded}</stratml:Value> <stratml:Goal>{1,unbounded}</stratml:Goal> </stratml:StrategicPlanCore>	
Source	<xsd:element name="StrategicPlanCore" id="uuid-ce9c9293-e374-4800-8d62-9ee87d0c9887"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A complex element comprised if Mission, Vision, Values, Goals, Objectives and Stakeholders, together with the children of those core elements.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Organization" id="uuid-f8d6372e-52e8-4a60-ab1c-274aad8bcf33" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Vision" id="uuid-d4dbdad8-0cdd-4294-b091-b8bec961d03b" minOccurs="0"/> <xsd:element ref="stratml:Mission" id="uuid-f66bec3e-2714-49ec-8e15-8820cecba9ae" minOccurs="0"/> <xsd:element ref="stratml:Value" id="uuid-1ab0aa31-a42f-410e-8b2c-29c22eed8a77" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:Goal" id="uuid-294b80a3-7288-4477-9458-35292f7a47c3" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>	

Element stratml:Organization

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport	
Annotations	documentation The legal or logical entity to which the plan or report applies.	
Diagram		
Properties	content:	complex
Used by	Element	stratml:StrategicPlanCore
Model	stratml:Name{0,1} , stratml:Acronym{0,1} , stratml:Identifier{0,1} , stratml:Description{0,1} , stratml:Stakeholder*	
Children	stratml:Acronym, stratml:Description, stratml:Identifier, stratml:Name, stratml:Stakeholder	

Instance	<stratml:Organization xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{0,1}</stratml:Name> <stratml:Acronym>{0,1}</stratml:Acronym> <stratml:Identifier>{0,1}</stratml:Identifier> <stratml:Description>{0,1}</stratml:Description> <stratml:Stakeholder StakeholderTypeType="">{0,unbounded}</stratml:Stakeholder> </stratml:Organization>
Source	<xsd:element name="Organization" id="uuid-9d589d53-ec24-4c18-b5db-5be8075c1be5"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The legal or logical entity to which the plan or report applies.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-e871651e-e943-4414-b0b6-eb1f5754f3be" minOccurs="0"/> <xsd:element ref="stratml:Acronym" id="uuid-eb510ea2-9d70-40ec-95f1-abdf6644e002" minOccurs="0"/> <xsd:element ref="stratml:Identifier" id="uuid-d5b4b082-8326-46a8-a475-533813a4ed29" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-2741f038-8123-4644-a649-dcf19a773673" minOccurs="0"/> <xsd:element ref="stratml:Stakeholder" id="uuid-d9bccbbf-67ae-402c-8914-56d12c1a7190" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element `stratml:Acronym`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An abbreviation of a proper name usually composed of the first letters of each word in the name.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Element stratml:Organization
Source	<xsd:element name="Acronym" type="xsd:string" id="uuid-a21e6dc4-b67c-4120-b881-ce72882fc958"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An abbreviation of a proper name usually composed of the first letters of each word in the name.</xsd:documentation> </xsd:annotation> </xsd:element>

Element `stratml:Identifier`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A string of alphanumeric characters by which the information contained within an element is distinguished from other versions of the same information as well as information contained in other instances of the same element.
Diagram	
Type	xsd:ID
Properties	content: simple

Used by	Elements	stratml:Mission, stratml:Organization, stratml:PerformanceIndicator, stratml:Relationship, stratml:Vision
	Complex Types	stratml:AdministrativeInformationType, stratml:ContactInformationType, stratml:GoalType, stratml:ObjectiveType

Source

```
<xsd:element name="Identifier" type="xsd:ID" id="uuid-a9cee972-59f3-42a9-8876-03bd0166689c">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A string of alphanumeric characters
 by which the information contained within an element is distinguished from other versions of
 the same information as well as information contained in other instances of the same element.</
xsd:documentation>
  </xsd:annotation>
</xsd:element>
```

Element `stratml:Stakeholder`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An individual whose interests may be affected by or whose action may be required to achieve a goal or objective.
Diagram	

Properties	content:	complex
Used by	Element	stratml:Organization
	Complex Types	stratml:GoalType, stratml:ObjectiveType
Model	stratml:Name , stratml:Description{0,1} , stratml:Role*	
Children	stratml:Description, stratml:Name, stratml:Role	

Instance

```
<stratml:Stakeholder StakeholderTypeType="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">
  <stratml:Name>{1,1}</stratml:Name>
  <stratml:Description>{0,1}</stratml:Description>
  <stratml:Role>{0,unbounded}</stratml:Role>
</stratml:Stakeholder>
```

Attributes

QName	Type	Use	
StakeholderTypeType	restriction of xsd:string	optional	
	documentation An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.		

Source

```
<xsd:element name="Stakeholder" id="uuid-1effcb49-9462-4c9b-bdc2-92971c9fc9cf">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">An individual whose interests may be
 affected by or whose action may be required to achieve a goal or objective.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:Name" id="uuid-35cc454d-43d4-46b2-a548-eeb3ff8605dd"/>
```

```
      <xsd:element ref="stratml:Description" id="uuid-7e18eb24-475c-4bcf-a3c4-1c43adaf127c"
 minOccurs="0"/>
      <xsd:element ref="stratml:Role" id="uuid-75B20BA6-6B35-490b-BE78-B98008D49CC2" minOccurs="0"
 maxOccurs="unbounded"/>
    </xsd:sequence>
    <xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-
D68F1031BA86">
      <xsd:annotation>
        <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether
 the stakeholder is an individual person, an organization, or a generic group of people.</
xsd:documentation>
      </xsd:annotation>
      <xsd:simpleType>
        <xsd:restriction base="xsd:string">
          <xsd:enumeration value="Person"/>
          <xsd:enumeration value="Organization"/>
          <xsd:enumeration value="Generic_Group"/>
        </xsd:restriction>
      </xsd:simpleType>
    </xsd:attribute>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Role`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A complex element containing other elements enabling the naming, description, and categorization of different kinds of interests individuals and groups may have in the achievement of goals and objectives.
Diagram	
Properties	content: complex
Used by	Element stratml:Stakeholder
Model	stratml:Name , stratml:Description{0,1} , stratml:RoleType*
Children	stratml:Description, stratml:Name, stratml:RoleType

Instance	`<stratml:Role xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Name>{1,1}</stratml:Name>`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:RoleType>{0,unbounded}</stratml:RoleType>`
	`</stratml:Role>`

Source	`<xsd:element name="Role" id="uuid-6BEF4BD5-C9DB-497c-A264-B81B443F36AA">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A complex element containing other elements enabling the naming, description, and categorization of different kinds of interests individuals and groups may have in the achievement of goals and objectives.</xsd:documentation>`
	`  </xsd:annotation>`
	`  <xsd:complexType>`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-8AA40586-F938-44fd-8D84-873E6E172480"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-E7588067-5425-4087-AE9F-191CF2058B09" minOccurs="0"/>`
	`  <xsd:element ref="stratml:RoleType" id="uuid-9F732A4D-0A67-482a-85CC-F2FEBAF4B935" minOccurs="0" maxOccurs="unbounded"/>`
	`  </xsd:sequence>`
	`  </xsd:complexType>`
	`</xsd:element>`

Element `stratml:RoleType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation An attribute designating whether a stakeholder is a prospective beneficiary or a performer of actions required to achieve an objective, or both a performer and a beneficiary.
Diagram	
Type	restriction of xsd:string
Properties	content: simple
Facets	enumeration Performer enumeration Beneficiary
Used by	Element stratml:Role
Source	<xsd:element name="RoleType" id="uuid-16827A64-1DE2-4cfb-AE53-E8CEE0AA3391"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An attribute designating whether a stakeholder is a prospective beneficiary or a performer of actions required to achieve an objective, or both a performer and a beneficiary.</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Performer"/> <xsd:enumeration value="Beneficiary"/> </xsd:restriction> </xsd:simpleType> </xsd:element>

Element `stratml:Vision`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}
Children	stratml:Description, stratml:Identifier
Instance	<stratml:Vision xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Description>{0,1}</stratml:Description> <stratml:Identifier>{0,1}</stratml:Identifier> </stratml:Vision>
Source	<xsd:element name="Vision" id="uuid-5e02d6ec-d669-47c4-b443-e7716bd27528"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A concise and inspirational statement implicitly relating an organization's purpose to its values, thus motivating its actions toward a future state it strives to achieve.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence>

```
      <xsd:element ref="stratml:Description" id="uuid-8201c15c-8206-49f3-9bd3-d816209a8b3c"
 minOccurs="0"/>
      <xsd:element ref="stratml:Identifier" id="uuid-333e71c6-6b27-4bd2-bf39-c6e7b69d0404"
 minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:Mission`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A brief description of the basic purpose of the organization.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Description{0,1} , stratml:Identifier{0,1}
Children	stratml:Description, stratml:Identifier

Instance	`<stratml:Mission xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport">`
	`  <stratml:Description>{0,1}</stratml:Description>`
	`  <stratml:Identifier>{0,1}</stratml:Identifier>`
	`</stratml:Mission>`

Source	`<xsd:element name="Mission" id="uuid-755706ea-40d6-40f0-a8e5-998b91390620">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">A brief description of the basic purpose of the organization.</xsd:documentation>`
	`  </xsd:annotation>`
	`  <xsd:complexType>`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Description" id="uuid-d4000d59-fc40-4f93-bbae-f92de9808818" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-e8484845-ea0e-47f3-8fe2-55b54db21202" minOccurs="0"/>`
	`  </xsd:sequence>`
	`  </xsd:complexType>`
	`</xsd:element>`

Element `stratml:Value`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A principle that is important and helps to define the essential character of the organization.
Diagram	
Properties	content: complex
Used by	Element stratml:StrategicPlanCore

Model	stratml:Name{0,1} , stratml:Description{0,1}
Children	stratml:Description, stratml:Name
Instance	<stratml:Value xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> </stratml:Value>
Source	<xsd:element name="Value" id="uuid-50f98ade-573c-4afa-8696-1d0e4a2c7ff3"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A principle that is important and helps to define the essential character of the organization.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Name" id="uuid-54768289-ad1d-4983-8b30-081f6b1fdeb3" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-f285ccf3-d061-47a5-ac0d-873a8971883b" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element `stratml:Goal`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle. documentation Supports Mission
Diagram	
Type	extension of stratml:GoalType
Type hierarchy	• GoalType
Properties	content: complex
Used by	Element stratml:StrategicPlanCore
Model	stratml:Objective*
Children	stratml:Objective
Instance	<stratml:Goal xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Objective>{0,unbounded}</stratml:Objective> </stratml:Goal>
Source	<xsd:element name="Goal" id="uuid-1e56b2c9-c6d6-4f79-8ad7-cdb1508a9614"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A relatively broad statement of intended results to be achieved over more than one resource allocation and performance measurement cycle.</xsd:documentation> <xsd:documentation source="documentation" xml:lang="EN">Supports Mission</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:complexContent> <xsd:extension base="GoalType"> <xsd:sequence> <xsd:element ref="stratml:Objective" id="uuid-28866F8C-AE8F-43a1-8E3D-D146280CE3F2" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:extension> </xsd:complexContent> </xsd:complexType> </xsd:element>

Element `stratml:Objective`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation

	A target level of results against which achievement is to be measured within a single resource allocation and performance execution cycle.
Diagram	
Type	stratml:ObjectiveType
Properties	content: simple
Used by	Element stratml:Goal
Source	<xsd:element name="Objective" type="ObjectiveType" id="uuid-AA88DC79-BC74-4a7c-97BD-37EDD048D14C"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A target level of results against which achievement is to be measured within a single resource allocation and performance execution cycle.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:AdministrativeInformation

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation Useful information that is not essential and thus not part of the core of the plans or reports.
Diagram	
Type	stratml:AdministrativeInformationType
Properties	content: simple
Used by	Element stratml:PerformancePlanOrReport
Source	<xsd:element name="AdministrativeInformation" type="AdministrativeInformationType" id="uuid-9d240214-9768-4dd9-b98a-c62448b63f26"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">Useful information that is not essential and thus not part of the core of the plans or reports.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:Submitter

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The person submitting the plan or report in StratML format.
Diagram	
Type	stratml:ContactInformationType
Properties	content: simple
Used by	Element stratml:PerformancePlanOrReport
Source	<xsd:element name="Submitter" type="ContactInformationType" id="uuid-1dec258f-1656-4173-acfe-677c1cf24bf3"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The person submitting the plan or report in StratML format.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:ActualResult

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Annotations	documentation A measurable result achieved on or before a specified date.
Diagram	
Properties	content: complex
Used by	Element stratml:MeasurementInstance
Model	stratml:Description , stratml:NumberOfUnits{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1}
Children	stratml:Description, stratml:EndDate, stratml:NumberOfUnits, stratml:StartDate
Instance	<stratml:ActualResult xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Description>{1,1}</stratml:Description> <stratml:NumberOfUnits>{0,1}</stratml:NumberOfUnits> <stratml:StartDate>{0,1}</stratml:StartDate> <stratml:EndDate>{0,1}</stratml:EndDate> </stratml:ActualResult>
Source	<xsd:element name="ActualResult" id="uuid-576F1BF5-C7E4-4ad5-88E9-2781C538F8D4"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A measurable result achieved on or before a specified date.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Description"/> <xsd:element ref="stratml:NumberOfUnits" id="uuid-9595F589-38BF-4bfe-81A6-43D9DAA36700" minOccurs="0"/> <xsd:element ref="stratml:StartDate" minOccurs="0"/> <xsd:element ref="stratml:EndDate" minOccurs="0"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element stratml:NumberOfUnits

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A numeric value (number) associated with a type of measurement.
Diagram	
Type	xsd:decimal
Properties	content: simple
Used by	Elements stratml:ActualResult, stratml:TargetResult
Source	<xsd:element name="NumberOfUnits" type="xsd:decimal" id="uuid-41DEC7F0-F974-4903-B535-B219F2EB284A"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A numeric value (number) associated with a type of measurement.</xsd:documentation>

```
  </xsd:annotation>
</xsd:element>
```

Element `stratml:StartDate`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The year, month and day the element with which it is associated is scheduled to begin.`
Diagram	
Type	stratml:DateTypeType
Properties	content: `simple`
Used by	Elements: stratml:ActualResult, stratml:TargetResult Complex Type: stratml:AdministrativeInformationType

Source	`<xsd:element name="StartDate" type="DateTypeType" id="uuid-11a1e9c3-959b-4c2e-b3de-5e1296eb6ab3">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The year, month and day the element with which it is associated is scheduled to begin.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:EndDate`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.`
Diagram	
Type	stratml:DateTypeType
Properties	content: `simple`
Used by	Elements: stratml:ActualResult, stratml:TargetResult Complex Type: stratml:AdministrativeInformationType

Source	`<xsd:element name="EndDate" type="DateTypeType" id="uuid-19977fd4-556d-41bc-be29-477e05e4c971">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The year, month, and day the element with which it is associated is projected to cease, if it is not subsequently extended. Typically the end of a calendar or fiscal year.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:EmailAddress`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `The Email address of the person submitting the plan or report.`
Diagram	
Type	xsd:string
Properties	content: `simple`

Used by	Complex Type stratml:ContactInformationType
Source	<xsd:element name="EmailAddress" type="xsd:string" id="uuid-412bb450-d116-4dec-9269-a92209232df1"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The Email address of the person submitting the plan or report.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:GivenName

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The given name of the person submitting the plan or report.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType
Source	<xsd:element name="GivenName" type="xsd:string" id="uuid-a8c3e55c-96f2-404a-97b5-16022d9369ac"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The given name of the person submitting the plan or report.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:MeasurementDimension

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The aspect of reality to be measured.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Element stratml:PerformanceIndicator
Source	<xsd:element name="MeasurementDimension" type="xsd:string" id="uuid-A81AF0C9-7900-44dd-9E2C-77F601EB13D2"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">The aspect of reality to be measured.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:MeasurementInstance

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A measurement at a point in time.
Diagram	

Properties	content: complex
Used by	Element stratml:PerformanceIndicator
Model	stratml:TargetResult* , stratml:ActualResult*
Children	stratml:ActualResult, stratml:TargetResult
Instance	<stratml:MeasurementInstance xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:TargetResult>{0,unbounded}</stratml:TargetResult> <stratml:ActualResult>{0,unbounded}</stratml:ActualResult> </stratml:MeasurementInstance>
Source	<xsd:element name="MeasurementInstance" id="uuid-CA989313-6D91-46AC-926B-0805B331882B"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A measurement at a point in time.</ xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:TargetResult" id="uuid-BDE57259-F01C-4aac-BB59-71A0101324E6" minOccurs="0" maxOccurs="unbounded"/> <xsd:element ref="stratml:ActualResult" id="uuid-B52A1491-AC8D-4548-A1A4-628342FA525A" minOccurs="0" maxOccurs="unbounded"/> </xsd:sequence> </xsd:complexType> </xsd:element>

Element stratml:TargetResult

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation A measurable result to be achieved on or before a specified date.
Diagram	
Properties	content: complex
Used by	Element stratml:MeasurementInstance
Model	stratml:Description , stratml:NumberOfUnits{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1}
Children	stratml:Description, stratml:EndDate, stratml:NumberOfUnits, stratml:StartDate
Instance	<stratml:TargetResult xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Description>{1,1}</stratml:Description> <stratml:NumberOfUnits>{0,1}</stratml:NumberOfUnits> <stratml:StartDate>{0,1}</stratml:StartDate> <stratml:EndDate>{0,1}</stratml:EndDate> </stratml:TargetResult>
Source	<xsd:element name="TargetResult" id="uuid-A9278A5B-2E6A-4ad4-BA13-838E0210FD26"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">A measurable result to be achieved on or before a specified date.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Description" id="uuid-F9F237D5-43B4-4C27-84BB-153A0259767A"/> <xsd:element ref="stratml:NumberOfUnits" id="uuid-0DDC5C0E-2485-4739-98D1-1A132CDFE16E" minOccurs="0"/>

```
      <xsd:element ref="stratml:StartDate" id="uuid-2FA5B86C-DA08-46A1-85AB-E37D3291212B"
 minOccurs="0"/>
      <xsd:element ref="stratml:EndDate" id="uuid-B9750177-95CB-4007-9B8A-18E6A084A8FE"
 minOccurs="0"/>
    </xsd:sequence>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:PerformanceIndicator`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `A measurement dimension, unit of measurement, and measurement instance specifying target and actual results, e.g., of inputs applied, outputs produced, processes conducted, and outcomes realized.`
Diagram	
Properties	content: `complex`
Used by	Complex Type stratml:ObjectiveType
Model	stratml:SequenceIndicator{0,1} , stratml:MeasurementDimension , stratml:UnitOfMeasurement , stratml:Identifier{0,1} , stratml:Relationship* , stratml:MeasurementInstance* , stratml:OtherInformation{0,1}
Children	stratml:Identifier, stratml:MeasurementDimension, stratml:MeasurementInstance, stratml:OtherInformation, stratml:Relationship, stratml:SequenceIndicator, stratml:UnitOfMeasurement

Instance	`<stratml:PerformanceIndicator PerformanceIndicatorType="" ValueChainStage="" xmlns:stratml="urn:ISO:std:iso:17469:t`
	`  <stratml:SequenceIndicator>{0,1}</stratml:SequenceIndicator>`
	`  <stratml:MeasurementDimension>{1,1}</stratml:MeasurementDimension>`
	`  <stratml:UnitOfMeasurement>{1,1}</stratml:UnitOfMeasurement>`
	`  <stratml:Identifier>{0,1}</stratml:Identifier>`
	`  <stratml:Relationship RelationshipType="">{0,unbounded}</stratml:Relationship>`
	`  <stratml:MeasurementInstance>{0,unbounded}</stratml:MeasurementInstance>`
	`  <stratml:OtherInformation>{0,1}</stratml:OtherInformation>`
	`</stratml:PerformanceIndicator>`

Attributes	QName	Type	Use
	PerformanceIndicatorType	stratml:PerformanceIndicatorTypeType	optional
	ValueChainStage	stratml:ValueChainStageType	optional

Source

```
<xsd:element name="PerformanceIndicator" id="uuid-5E26BC7A-7340-48ce-A11E-D3B566026C49">
  <xsd:annotation>
    <xsd:documentation source="documentation" xml:lang="EN">A measurement dimension, unit of
 measurement, and measurement instance specifying target and actual results, e.g., of inputs
 applied, outputs produced, processes conducted, and outcomes realized.</xsd:documentation>
  </xsd:annotation>
  <xsd:complexType>
    <xsd:sequence>
      <xsd:element ref="stratml:SequenceIndicator" id="uuid-49339C06-33C8-4e80-8FFE-B1BF1668EE5D"
 minOccurs="0"/>
      <xsd:element ref="stratml:MeasurementDimension" id="uuid-17139C06-33C8-4e80-8FFE-
B1BF1668ED4C"/>
      <xsd:element ref="stratml:UnitOfMeasurement" id="uuid-9E274585-8F26-456A-864A-01E0FB177A3B"/>
      <xsd:element ref="stratml:Identifier" id="uuid-5C262CB2-FB6B-4508-A0FB-2954CFC98841"
 minOccurs="0"/>
      <xsd:element ref="stratml:Relationship" id="uuid-537184F4-BB04-409A-BFD9-40B27AD1B9E3"
 minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="stratml:MeasurementInstance" id="uuid-A9FC8FA2-1102-4994-AD1D-40903738999D"
 minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element ref="stratml:OtherInformation" id="uuid2FC2C862-2FE0-44f2-8F3A-A48A1E07BEBC"
 minOccurs="0"/>
    </xsd:sequence>
    <xsd:attribute name="ValueChainStage" type="ValueChainStageType" id="uuid-6203C7DD-4373-47B4-
A331-063F14B35668"/>
    <xsd:attribute name="PerformanceIndicatorType" type="PerformanceIndicatorTypeType"
 id="uuid-5607C853-43F1-43E5-BA82-99E08F59AB31"/>
  </xsd:complexType>
</xsd:element>
```

Element `stratml:SequenceIndicator`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation `An alphanumeric identifier applied to an element to designate its order in a series.`
Diagram	
Type	xsd:string
Properties	content: `simple`
Used by	Element: stratml:PerformanceIndicator Complex Types: stratml:GoalType, stratml:ObjectiveType

Source	`<xsd:element name="SequenceIndicator" type="xsd:string" id="uuid-7f10f639-e7cf-4513-804c-5f4f7592c5e5">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">An alphanumeric identifier applied to an element to designate its order in a series.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element `stratml:UnitOfMeasurement`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	`The scale by which measurements are divided into increments.`
Diagram	
Type	xsd:string
Properties	content: `simple`

Used by	Element stratml:PerformanceIndicator
Source	<xsd:element name="UnitOfMeasurement" type="xsd:string" id="uuid-BCF7687F-8056-4F02-AC0F-E92B84BEC16E"> <xsd:annotation> <xsd:documentation>The scale by which measurements are divided into increments.</xsd:documentation> </xsd:annotation> </xsd:element>

Element stratml:Relationship

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	A conceptual connection between two elements that have Identifiers.
Diagram	
Properties	content: complex
Used by	Element stratml:PerformanceIndicator
Model	stratml:Identifier , stratml:Name{0,1} , stratml:Description{0,1}
Children	stratml:Description, stratml:Identifier, stratml:Name
Instance	<stratml:Relationship RelationshipType="" xmlns:stratml="urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport"> <stratml:Identifier>{1,1}</stratml:Identifier> <stratml:Name>{0,1}</stratml:Name> <stratml:Description>{0,1}</stratml:Description> </stratml:Relationship>
Attributes	**QName** | **Type** | **Use** **RelationshipType** | stratml:RelationshipTypeType | optional
Source	<xsd:element name="Relationship" id="uuid-13C30F4E-0687-4C56-A052-7ED466D43D68"> <xsd:annotation> <xsd:documentation>A conceptual connection between two elements that have Identifiers.</xsd:documentation> </xsd:annotation> <xsd:complexType> <xsd:sequence> <xsd:element ref="stratml:Identifier" id="uuid-ADB401CE-F9B5-4D46-A8AE-1C5F7A1CA85A"/> <xsd:element ref="stratml:Name" id="uuid-C8666759-562B-419C-8DF8-E736A4478EF6" minOccurs="0"/> <xsd:element ref="stratml:Description" id="uuid-46D15F06-AB63-4363-A87A-968EBD11EFF3" minOccurs="0"/> </xsd:sequence> <xsd:attribute name="RelationshipType" type="RelationshipTypeType" id="uuid-424EE340-4A1E-4791-B964-4CC3072BC69F"/> </xsd:complexType> </xsd:element>

Element stratml:PhoneNumber

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The telephone number of the person submitting the plan.

Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType

Source	`<xsd:element name="PhoneNumber" type="xsd:string" id="uuid-9084c2d2-4b7e-4189-a784-a86a4469a01c">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The telephone number of the person submitting the plan.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element stratml:PublicationDate

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The day, month, and year a plan or report was published in its current form.
Diagram	
Type	stratml:DateTypeType
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType

Source	`<xsd:element name="PublicationDate" type="DateTypeType" id="uuid-04d8f96c-b5fc-458e-8de4-f5e2746e8b8b">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The day, month, and year a plan or report was published in its current form.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element stratml:Source

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation The Web address (URL) for the authoritative source of this document.
Diagram	
Type	xsd:anyURI
Properties	content: simple
Used by	Complex Type stratml:AdministrativeInformationType

Source	`<xsd:element name="Source" type="xsd:anyURI" id="uuid-03b90177-d13b-4e32-ada9-7c7a1eb1703b">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The Web address (URL) for the authoritative source of this document.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Element stratml:Surname

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Annotations	documentation

	The family name of the person submitting the plan or report.
Diagram	
Type	xsd:string
Properties	content: simple
Used by	Complex Type stratml:ContactInformationType

Source	`<xsd:element name="Surname" type="xsd:string" id="uuid-d48842b4-9324-4f71-9502-1a991b707b38">`
	`  <xsd:annotation>`
	`  <xsd:documentation source="documentation" xml:lang="EN">The family name of the person submitting the plan or report.</xsd:documentation>`
	`  </xsd:annotation>`
	`</xsd:element>`

Complex Type(s)

Complex Type `stratml:AdministrativeInformationType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Model	stratml:Identifier{0,1} , stratml:StartDate{0,1} , stratml:EndDate{0,1} , stratml:PublicationDate{0,1} , stratml:Source{0,1}
Children	stratml:EndDate, stratml:Identifier, stratml:PublicationDate, stratml:Source, stratml:StartDate

Source	`<xsd:complexType name="AdministrativeInformationType" id="uuid-32864389-230a-4f77-9c09-c083386fcad9">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-A36D9558-9F96-4972-91FA-B4F311A7735D" minOccurs="0"/>`
	`  <xsd:element ref="stratml:StartDate" id="uuid-9bafe734-ca3f-4d53-bbb1-2d904412a09e" minOccurs="0"/>`
	`  <xsd:element ref="stratml:EndDate" id="uuid-63418B7E-0941-4964-9523-BC6034048730" minOccurs="0"/>`
	`  <xsd:element ref="stratml:PublicationDate" id="uuid-6ebfbf00-e08c-4118-8980-aba1f91c3936" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Source" id="uuid-f2e49267-3f70-497a-827e-3b65644badd8" minOccurs="0"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Complex Type `stratml:ContactInformationType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Model	stratml:Identifier{0,1} , stratml:GivenName{0,1} , stratml:Surname{0,1} , stratml:PhoneNumber{0,1} , stratml:EmailAddress{0,1}
Children	stratml:EmailAddress, stratml:GivenName, stratml:Identifier, stratml:PhoneNumber, stratml:Surname

Source	`<xsd:complexType name="ContactInformationType" id="uuid-b07e1586-6676-4212-8a6a-4a365a4977ec">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-3AA1341B-C021-43a9-94D3-5AE78BEA9B90" minOccurs="0"/>`
	`  <xsd:element ref="stratml:GivenName" id="uuid-be2396f2-cdf9-498c-82ef-1ce1b9209086" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Surname" id="uuid-3d5034e0-328a-46a0-b5fb-776e070cca5f" minOccurs="0"/>`
	`  <xsd:element ref="stratml:PhoneNumber" id="uuid-160fe527-9d1d-423a-bc95-ad48f3257276" minOccurs="0"/>`
	`  <xsd:element ref="stratml:EmailAddress" id="uuid-9e408a3b-034a-486f-b045-7cc74505b44d" minOccurs="0"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Complex Type `stratml:GoalType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Model	stratml:Name , stratml:Description , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1}
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:SequenceIndicator, stratml:Stakeholder

Source	`<xsd:complexType name="GoalType" id="uuid-3604D5A8-2B17-41b1-88E9-F71866006E23">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-0b19dff1-b98e-470f-ac80-92a755d8aa37"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-b454f40f-721c-42a1-ba43-3a56ef37766e"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-f0543f96-c5be-4d77-a86d-d2f04122a5ea" minOccurs="0"/>`
	`  <xsd:element ref="stratml:SequenceIndicator" id="uuid-af23adab-d9d6-46b2-a627-8cd2547d8192" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Stakeholder" id="uuid-93270a8d-75b5-4052-974e-19e5bd9c5931" minOccurs="0" maxOccurs="unbounded"/>`
	`  <xsd:element ref="stratml:OtherInformation" id="uuid-edd05fe8-91ca-4511-8f5b-c360ac07ebe8" minOccurs="0"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Complex Type `stratml:ObjectiveType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport

Diagram	
Model	stratml:Name{0,1} , stratml:Description{0,1} , stratml:Identifier{0,1} , stratml:SequenceIndicator{0,1} , stratml:Stakeholder* , stratml:OtherInformation{0,1} , stratml:PerformanceIndicator*
Children	stratml:Description, stratml:Identifier, stratml:Name, stratml:OtherInformation, stratml:PerformanceIndicator, stratml:SequenceIndicator, stratml:Stakeholder

Source	`<xsd:complexType name="ObjectiveType" id="uuid-A494052D-115D-4452-B49B-DC0FF3089A79">`
	`  <xsd:sequence>`
	`  <xsd:element ref="stratml:Name" id="uuid-36e8852b-2761-460d-b911-0c01c7bdecd3" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Description" id="uuid-687daacf-3b29-4e91-b1e7-8e9191d17338" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Identifier" id="uuid-8e762c3e-85b6-4f5c-93d1-a2513667507f" minOccurs="0"/>`
	`  <xsd:element ref="stratml:SequenceIndicator" id="uuid-abbc7e84-6083-4c89-9c8e-30a9d09616d2" minOccurs="0"/>`
	`  <xsd:element ref="stratml:Stakeholder" id="uuid-3c9c0a38-4d9b-4641-a0f0-f05e722e6f4c" minOccurs="0" maxOccurs="unbounded"/>`
	`  <xsd:element ref="stratml:OtherInformation" id="uuid-75d113e5-ae18-4c6f-87ca-1811557471fb" minOccurs="0"/>`
	`  <xsd:element ref="stratml:PerformanceIndicator" id="uuid-87F2E84B-2216-4D56-9B58-250CD8D52CB8" minOccurs="0" maxOccurs="unbounded"/>`
	`  </xsd:sequence>`
	`</xsd:complexType>`

Simple Type(s)

Simple Type `stratml:DateTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	union of(xsd:date, stratml:EmptyStringType)

Source	`<xsd:simpleType name="DateTypeType">`
	`  <xsd:union memberTypes="xsd:date EmptyStringType"/>`
	`</xsd:simpleType>`

Simple Type `stratml:EmptyStringType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	length 0

Source	`<xsd:simpleType name="EmptyStringType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:length value="0"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:PerformanceIndicatorTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration Quantitative enumeration Qualitative

Source	`<xsd:simpleType name="PerformanceIndicatorTypeType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Quantitative"/>`
	`  <xsd:enumeration value="Qualitative"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:RelationshipTypeType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration Broader_Than enumeration Peer_To enumeration Narrower_Than

Source	`<xsd:simpleType name="RelationshipTypeType">`
	`  <xsd:restriction base="xsd:string">`
	`  <xsd:enumeration value="Broader_Than"/>`
	`  <xsd:enumeration value="Peer_To"/>`
	`  <xsd:enumeration value="Narrower_Than"/>`
	`  </xsd:restriction>`
	`</xsd:simpleType>`

Simple Type `stratml:ValueChainStageType`

Namespace	urn:ISO:std:iso:17469:tech:xsd:PerformancePlanOrReport
Diagram	
Type	restriction of xsd:string
Facets	enumeration Outcome enumeration Output_Processing

	enumeration	Output
	enumeration	Input_Processing
	enumeration	Input
Source	<xsd:simpleType name="ValueChainStageType"> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Outcome"/> <xsd:enumeration value="Output_Processing"/> <xsd:enumeration value="Output"/> <xsd:enumeration value="Input_Processing"/> <xsd:enumeration value="Input"/> </xsd:restriction> </xsd:simpleType>	

Namespace: ""

Attribute(s)

Attribute stratml:Stakeholder / @StakeholderTypeType

Namespace	No namespace	
Annotations	documentation An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.	
Type	restriction of xsd:string	
Properties	use:	optional
Facets	enumeration	Person
	enumeration	Organization
	enumeration	Generic_Group
Used by	Element	stratml:Stakeholder
Source	<xsd:attribute name="StakeholderTypeType" use="optional" id="uuid-F64605F4-D372-487C-9C5D-D68F1031BA86"> <xsd:annotation> <xsd:documentation source="documentation" xml:lang="EN">An attribute indicating whether the stakeholder is an individual person, an organization, or a generic group of people.</xsd:documentation> </xsd:annotation> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Person"/> <xsd:enumeration value="Organization"/> <xsd:enumeration value="Generic_Group"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute>	

Attribute stratml:PerformancePlanOrReport / @Type

Namespace	No namespace	
Type	restriction of xsd:string	
Properties	use:	required
Facets	enumeration	Strategic_Plan
	enumeration	Performance_Plan
	enumeration	Performance_Report
Used by	Element	stratml:PerformancePlanOrReport
Source	<xsd:attribute name="Type" use="required" id="uuid-F64605F4-D373-487C-9C5D-D68F1031BA86"> <xsd:simpleType> <xsd:restriction base="xsd:string"> <xsd:enumeration value="Strategic_Plan"/> <xsd:enumeration value="Performance_Plan"/> <xsd:enumeration value="Performance_Report"/> </xsd:restriction> </xsd:simpleType> </xsd:attribute>	

Attribute `stratml:Relationship / @RelationshipType`

Namespace	No namespace
Type	stratml:RelationshipTypeType
Properties	content: simple
Used by	Element stratml:Relationship
Source	`<xsd:attribute name="RelationshipType" type="RelationshipTypeType" id="uuid-424EE340-4A1E-4791-B964-4CC3072BC69F"/>`

Attribute `stratml:PerformanceIndicator / @ValueChainStage`

Namespace	No namespace
Type	stratml:ValueChainStageType
Properties	content: simple
Used by	Element stratml:PerformanceIndicator
Source	`<xsd:attribute name="ValueChainStage" type="ValueChainStageType" id="uuid-6203C7DD-4373-47B4-A331-063F14B35668"/>`

Attribute `stratml:PerformanceIndicator / @PerformanceIndicatorType`

Namespace	No namespace
Type	stratml:PerformanceIndicatorTypeType
Properties	content: simple
Used by	Element stratml:PerformanceIndicator
Source	`<xsd:attribute name="PerformanceIndicatorType" type="PerformanceIndicatorTypeType" id="uuid-5607C853-43F1-43E5-BA82-99E08F59AB31"/>`